

TECHNICAL DATA SHEET**ML SPRAY**

Anti corrosion wax coating to protect inside spaces of car bodyworks such as insides of doors, side panels, motor hoods and chassis bars etc. Can also be use on sheets of metals, tools and machinery during storage.

Properties:

Non-drying coating on metals with long term corrosion protection.
Resistant to salt, moisture and general corrosive atmosphere.
Strong penetration so that difficult accessible parts of the bodywork can be conserved. Non aggressive to plastics, rubbers, and paints

Technical information:

Solvents:	Xylene, Esters en ketones.
Odour:	Typical
Gloss	Matt: Ca 8 GU 60 degr. .measuring angle
Density:	Aerosol: 0,66 Active agent 0,80
Solids:	Aerosol : 16 % Active agent 30%
Salt spray test DIN50 021	100 mu 500 hours Ri 0 100 mu 1000 hours Ri 1

Drying times:

100 μm wet layer / 20°C and ventilation
Dust dry: ca. 1 hours
Trough dry : 1 day

Application temperature:

10°C – 25°C

Instruction for use:

Use on room temperature.
Shake before use.
Surface must be dry and clean, free from dirt, rust, grease etc.
Spray an even layer on the object or surface to be coated.

TECHNICAL DATA SHEET

For the treatment of cavities a special actuator with long tube and around spraying nozzle can be used.

Leave to evaporate/dry.

Do not spray on the exhaust, brake systems, or on motor parts.

After use, to clean the nozzle and prevent blockage, hold the can up side down and spray until only gas (propellant) is coming out of the can

Can be removed with aromatic solvents as white spirit, boiling point naphtha, xylene, etc.

Recommended layer thickness:

100 mμ wet, 30 mμ dry

Color:

Brown - Transparent

Storage:

To be stored in dry and cool place between the 10°C en 25°C, away from the sources of light and heat. Avoid sun exposure. Storage time of the product in the original, unopened package is 60 months.

Health and safety recommendations:

Apply safety data sheet of the particular product.

Packaging:

Art. Nr	Capacity, L:	Package, pieces
20361-1 (brown)	400 ml	12
20371-1 (transparent)	400 ml	12

This information is based on careful, laboratory research and our long-standing experience. Strong market position does not absolve us from constant control of the quality of our products. However, we are not responsible for the final results after incorrect use of the product.