

**MULTISOFT FILLER**

**SECTION 1: SUBSTANCE/MIXTURE IDENTIFICATION AND MANUFACTURER/SUPPLIER IDENTIFICATION**

**1.1. Product identification\***

**Product form:** Mixture  
**Name:** MULTISOFT FILLER  
**Trade name:** MULTISOFT

**UFI:**  
**1PQ0-K05N-X000-FAKJ** WHITE  
**5SQ0-20V2-700G-4P5M** BEIGE

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

1.2.1. Relevant identified uses\*

Use of the substance/mixture: For professional use in car refinishing.

1.2.2. Uses advised against\*

No further data available.

**1.3 Data of the safety data sheet supplier**

**Przedsiębiorstwo RANAL Sp. z o.o.**  
Ul. Łódzka 3  
42-240 Rudniki k. Częstochowy, PL

Tel.: +48 34 329 45 03  
Fax: +48 34 320 12 16  
Registration number 000029202

Person responsible for the safety data sheet: ranal@ranal.pl

**1.4. Emergency telephone**

+48 34 329 45 03 (8.00 - 15.00)

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture\***

Classification according to the regulation (EC) no 1272/2008[CLP]:

Flammable liquids, cat. 3, H226

Skin corrosion/irritation, cat. 2, H315

Serious eye damage/eye irritation, hazard cat 2, H319

Reproduction toxicity, cat. 2, H361d

Specific target organ toxicity - repeated exposure, cat. 1, H372

Full text of H and EUH phrases- see section 16.

**2.2. Label elements**

Contains:

Styrene.

Pictograms:



GHS02 GHS07 GHS08 \*

Signal word: **DANGER**

Risk index:

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes eye irritation.

H361d Suspected of damaging the unborn child.

H372 May cause damage to organs through prolonged or repeated exposure.

Safety index:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P260 Do not breathe dust/vapours. \*

P271 Use only outdoors or in a well-ventilated area

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

EUH phrases:

EUH211 Warning! Hazardous respirable droplets may form if sprayed. Do not breathe spray or vapour.\*

**2.3. Other hazards**

Vapours of styrene form explosive mixtures with air. Vapours are heavier than air and accumulate near the ground and in the lower parts of rooms.

Styrene may polymerize under the influence of high temperature or as a result of contact with strong oxidizing agents, peroxides, strong acids, alkalis, metal salts, copper and its alloys. Styrene polymerization is a highly exothermic process.

## MULTISOFT FILLER

Does not contain PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with Annex XIII of REACH. \*

The mixture does not contain any substance(s) included in the list established in accordance with Art. 59 sec. 1 of the REACH Regulation due to endocrine disrupting properties or is not identified as endocrine disrupting in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in a concentration equal to or greater than 0,1 % by weight. \*

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substances

Not applicable.

#### 3.2. Mixtures

Name	Product identification	%	Classification according to the regulation (EC) no 1272/2008[CLP]
Styrene The substance has an occupational exposure limit(s) (PL) (Note D)	CAS number: 100-42-5 EC number: 202-851-5 Index number: 601-026-00-0 REACH: 01-2119457861-32	15-18	Flam. Liq. 3, H226; Acute Tox. 4 (Inhalation), H332 ; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Repr. 2, H361d; STOT RE 1, H372
Titanium dioxide ;[as a powder with 1% or more of particles with an aerodynamic diameter of $\leq 10 \mu\text{m}$ ]* the substance has an occupational exposure limit(s) (PL) (Note V)(Note W)(Note 10)	CAS number: 13463-67-7 EC number: 236-675-5 Index number: 022-006-00-2 REACH: 01-2119489379-17	<15	Carc. 2, H351
Acetone* the substance has an occupational exposure limit(s) (PL); substance with a Community-wide occupational exposure limit value *	CAS number: 67-64-1 EC number: 200-662-2 Index number: 606-001-00-8 REACH: 01-2119471330-49	<1	Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336

Note 10: The classification as an inhalation carcinogen applies only to mixtures in the form of a powder containing 1 % or more of titanium dioxide in the form of particles with an aerodynamic diameter of  $\leq 10 \mu\text{m}$  or incorporated in such particles.

Note D: Certain substances that are prone to spontaneous polymerization or decomposition are generally placed on the market in a stabilized form. This is the form in which they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state the name of the substance on the label, followed by the word 'unstabilised'.

Note V: If the substance is to be placed on the market as fibers (diameter  $< 3 \mu\text{m}$ , length  $> 5 \mu\text{m}$ , aspect ratio  $\geq 3:1$ ) or as particles of the substance meeting the WHO criteria for fibers or as particles with modified surface chemistry, their hazardous properties should be assessed in accordance with Title II of this Regulation to assess whether a higher category should be applied (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal).

Note W: A carcinogenic risk associated with this substance has been observed to occur when respirable dust is inhaled in amounts that severely impair the natural mechanisms for clearing particles from the lungs. This note is a description of the specific type of toxicity of the substance, not a criterion for classification under this Regulation. \*

Full text of H and EUH phrases: see section 16. \*

### SECTION 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

General information:

See section 11 of the Material Safety Data Sheet.

Airways:

If difficulties in breathing occur, remove the victim to fresh air and keep at rest in a position comfortable for breathing.\*

Skin:

In case of skin contamination, immediately remove all contaminated clothing and wash contaminated skin with plenty of soap and water. Rinse skin with water/or shower. If skin irritation or rash occurs: Get medical advice/attention. If skin irritation persists, consult a doctor.\*

Eyes:

Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a doctor. In the case of contact with eyes, immediately rinse with plenty of water and get medical advice.\*

Alimentary tract:

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a doctor.\*

#### 4.2. Most important symptoms both acute and delayed\*

Symptoms/effects in the event of inhalation: Vapours may cause drowsiness and dizziness.

Symptoms/effects in the event of skin contact: Prolonged or repeated contact may cause skin dryness.

Symptoms/effects in the event of contact with eyes: May cause eye irritation.

#### 4.3. Indications of any immediate medical attention and special treatment needed

Symptomatic treatment.

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1. Extinguishing media

Suitable extinguishing agents: Extinguishing powder, CO<sub>2</sub>, foam resistant to alcohol or water spray. \*

Unsuitable extinguishing agents: Do not use strong jets of water. \*

**MULTISOFT FILLER**

**5.2 Special hazards arising from the substance or mixture**

Hazardous decomposition products in case of fire: carbon monoxide, other toxic gases. \*

**5.3 Advice for fire fighters**

Protection during firefighting: Do not intervene without appropriate protective equipment. Self-contained, breathing apparatus. Complete protective clothing. \*

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions, protective equipment and emergency measures**

6.1.1. For personnel non taking part in emergency procedures

Protective equipment: Eliminate all sources of ignition. Provide adequate ventilation. Avoid any direct and indirect contact with released components. Avoid contact with skin and eyes. Use the required personal protective measures. See section 8. \*

6.1.2. For personnel taking part in emergency procedures

Do not intervene without appropriate protective equipment. See section 8. \*

**6.2 Environmental precautions**

Avoid release to the environment. Prevent from entering surface water and sewage system. Do not allow the product to enter groundwater, water reservoirs or sewage systems, even in small quantities. \*

**6.3 Methods and materials for containment and cleaning up**

Preventing the spread of contamination: Cover the spilled product with a non-combustible material such as sand, earth, vermiculite. Collect the product mechanically. \*

**6.4 Reference to other sections**

Personal protection measures – see section 8 of the Sheet.

Disposal considerations – see section 13 of the Sheet.

**SECTION 7: HANDLING AND STORAGE OF SUBSTANCES AND MIXTURES**

**7.1. Precautions for safe handling**

Precautions for safe handling:

Provide good ventilation of the workplace. Keep away from heat sources, hot surfaces, sources of sparks, open flames and other ignition sources. No smoking. Use only outdoors or in a well-ventilated area. Wear personal protection measures. \*

Hygiene recommendations:

Wash contaminated clothes before using them again. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink and smoke when using the product. Wash hands after each contact with the product. \*

**7.2 Conditions for safe storage, including any incompatibilities**

Technical measures: Ground/bond container and work equipment. \*

Storage conditions: Store in a well-ventilated place. Keep cool. Keep container tightly closed. \*

**7.3 Special end use (s)**

No further data available. \*

**SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION MEASURES**

**8.1. Control parameters**

8.1.1. National values of the highest permissible concentrations in the work environment and biological limit values\*

<b>Styrene (100-42-5)</b>	
<b>Poland– The highest permissible concentration at the workplace</b>	
Local name	Styrene
NDS (OEL TWA)	50 mg/m <sup>3</sup>
NDSCh (OEL STEL)	100 mg/m <sup>3</sup>
Regulatory reference	Official Journal 2018, item 1286
<b>Titanium dioxide; [as a powder with 1% or more of particles with an aerodynamic diameter of ≤10 µm](13463-67-7)</b>	
<b>Poland– The highest permissible concentration at the workplace</b>	
Local name	Titanium dioxide
NDS (OEL TWA)	10 mg/m <sup>3</sup> inhalable fraction
Warning	Inhalable fraction - fraction of the aerosol penetrating through the nose and mouth, which, when deposited in the respiratory tract, poses a health risk. Simultaneous determination of concentrations of the respirable crystalline silica fraction is mandatory.
Regulatory reference	Official Journal 2018, item 1286
<b>Acetone(67-64-1)</b>	
<b>EU– Indicative Occupational Exposure Limit (IOEL)</b>	
Local name	Acetone
IOEL TWA (ppm)	500 ppm
Regulatory References:	COMMISSION DIRECTIVE 200/39/EC
<b>Poland– The highest permissible concentration at the workplace</b>	
Local name	Acetone
NDS (OEL TWA)	600 mg/m <sup>3</sup>

**MULTISOFT FILLER**

NDSCh (OEL STEL)	1800 mg/m <sup>3</sup>
Regulatory reference	Official Journal 2018, item 1286

8.1.2. Recommended monitoring procedures\*

<b>Monitoring method</b>	
Monitoring method	EN 482. Exposure at workplaces- general requirements for the characteristics of chemical agents measurement procedures.

8.1.3. Air pollutants formation\*  
 No further data available.

8.1.4. DNEL and PNEC\*

<b>Styrene (100-42-5)</b>	
<b>DNEL/DMEL (Workers)</b>	
Acute - systemic effects after inhalation	100 mg/m <sup>3</sup>
Acute - local effects after inhalation	100 mg/m <sup>3</sup>
Long - term systemic effects after inhalation	100 mg/m <sup>3</sup>
Long - term local effects after inhalation	100 mg/m <sup>3</sup>
<b>DNEL/ DMEL (General population)</b>	
Acute - systemic effects after inhalation	10 mg/m <sup>3</sup>
Acute - local effects after inhalation	10 mg/m <sup>3</sup>
Long - term systemic effects after ingestion	7.7 µg/kg body weight /day
Long - term systemic effects after inhalation	1 mg/m <sup>3</sup>
Long - term local effects after inhalation	1 mg/m <sup>3</sup>
<b>PNEC (Water)</b>	
PNEC (freshwater)	0.04 mg/l
PNEC (sea water)	0.04 mg/l
<b>PNEC (Sediments)</b>	
PNEC sediments (freshwater)	0.418 mg/kg of dry mass
PNEC sediments (sea water)	0.418 mg/kg of dry mass
<b>PNEC (Soil)</b>	
PNEC Soil	0.146 mg/kg of dry mass
<b>Acetone (67-64-1)</b>	
<b>DNEL/DMEL (Workers)</b>	
Acute - local effects after inhalation	2420 mg/m <sup>3</sup>
Long-term - systemic effects, in contact with skin	186 mg/kg body weight /day
Long - term systemic effects after inhalation	1210 mg/m <sup>3</sup>
<b>DNEL/ DMEL (General population)</b>	
Long - term systemic effects after ingestion	62 mg/kg body weight /day
Long - term systemic effects after inhalation	200 mg/m <sup>3</sup>
Long-term - systemic effects, in contact with skin	62 mg/kg body weight /day
<b>PNEC (Water)</b>	
PNEC (freshwater)	10.6 mg/l
PNEC (sea water)	1.06 mg/l
PNEC aqua ( intermittent, freshwater)	21 mg/l
<b>PNEC (Sediments)</b>	
PNEC sediments (freshwater)	30.4 mg/kg of dry mass
PNEC sediments (sea water)	3.04 mg/kg of dry mass
<b>PNEC (Soil)</b>	
PNEC Soil	29.5 mg/kg of dry mass
<b>PNEC (STP)</b>	
PNEC Sewage Treatment Plant	100 mg/l

8.1.5. Risk management\*  
 No further data available.

**8.2. Exposure control**

8.2.1. Technical control measures\*

Technical control measures:  
 Provide good ventilation of the workplace.

8.2.2. Personal protective equipment

Symbols of personal protective equipment\*:



8.2.2.1. Eye or face protection\*  
 Eyes protection: Safety glasses

8.2.2.2. Skin protection\*  
 Skin and body protection: Wear suitable protective clothes.  
 Hands protection: Protective gloves.

<b>Hand protection</b>					
Type	Material	Breakthrough time	Thickness (mm)	Penetration	Standards
Disposable gloves	Viton® II	6 (> 480 minutes)	0.7 mm		EN 374-3
Disposable gloves	Nitrile rubber ( NBR)	2 (> 30 minutes)	0.4 mm		EN 374-3

**MULTISOFT FILLER**

8.2.2.3. Respiratory protection\*:

Respiratory protection: In case of insufficient ventilation wear suitable breathing apparatus.

**Respiratory protection**

Equipment	Filter type	Condition	Standard
Gas mask with filter type	Filter A1/B1		EN 14387

8.2.2.4. Thermal hazards\*

No further data available.

8.2.3. Environmental control\*:

Environmental control Avoid release to the environment.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1. Information on basic physical and chemical properties**

Physical state	highly viscous liquid
Physical state	liquid*
Colour	white / beige*
Odour	sweet to penetrating
Odour threshold	0.43 mg/m <sup>3</sup> (styrene), vinylbenzene*
Melting point	not applicable*
Freezing point	not available*
Boiling point	146°C
Flammability (solid, gas)	not applicable
Explosive properties	no data*
Explosion limits:	% bottom: 1.1 Vol %, top: 8.0 Vol% (Styrene, vinylbenzene*)
Flash point	30°C
Auto ignition point	490°C
Breakdown point	not available
pH	not available*
Kinematic viscosity	not available*
Dynamic viscosity	26000- 35000 mPas*
Solubility (in water)	very poor
n-octanol/water partition coefficient (log Kow):	not available*
Vapour pressure	app. 7.3 hPa (styrene, vinylbenzene*)
Vapour pressure at 50 °C	not available*
Density	1.2 g/cm <sup>3</sup> *
Relative density	not available*
Relative vapour density at 20°C	not available*
Relative density of saturated steam/air mixture	3.6 (styrene, vinylbenzene)*
Particle characteristics	not applicable*

**9.2 Other information**

9.2.1. Information with regard to physical hazard classes\*

No further data available.

9.2.2. Other safety features\*

No further data available.

**SECTION 10: STABILITY AND REACTIVITY**

**10.1. Reactivity**

The product is not reactive under normal conditions.

**10.2. Chemical stability**

The product is stable under normal conditions.

**10.3. Possibility of hazardous reactions**

May cause strong reactions with alkaline products as well as organic products , such as alcohols and amines. Hazardous polymerization may occur when exposed to high temperatures. \*

**10.4 Conditions to be avoided**

Protect against ignition sources. Avoid the accumulation of electrostatic charges (e.g. by grounding). Protect from sunlight. Avoid high temperatures. \*

**10.5 Incompatible materials**

Avoid contact with large amounts of organic peroxides, strong acids and bases, as well as other strong oxidants.

**10.6. Hazardous decomposition products**

As a result of thermal decomposition, carbon monoxide and other toxic gases are generated.

No hazardous product shall be formed under normal conditions of storage and use. \*

**MULTISOFT FILLER**

**SECTION 11: TOXICOLOGICAL INFORMATION**

**11.1. Information on the hazard classes defined in Regulation (EC) No 1272/2008\***

Acute toxicity (oral): Not classified (based on available data the classification criteria are not met).  
 Acute toxicity (skin): Not classified (based on available data the classification criteria are not met).  
 Acute toxicity (inhalation): Not classified (based on available data the classification criteria are not met).

<b>Styrene (100-42-5)</b>	
LD50 oral, rat	5000 mg/kg Source ECHA
LD50, skin, rat	> 2000 mg/kg Source: ECHA
LC50 inhalation- rat (vapours)	11.8 mg/l Source: ECHA

<b>Titanium dioxide; [as a powder with 1% or more of particles with an aerodynamic diameter of ≤10 µm](13463-67-7)</b>	
LC50 inhalation - rat (dust/mist)	> 6.82 mg/l Source: ECHA

<b>Acetone (67-64-1)</b>	
LD50 oral, rat	5800 mg/kg body weight Animal: rat, Animal sex: female
LD50 skin, rabbit	> 7400 mg/kg Source: ECHA
LC50 inhalation - rat	76 mg/l air Animal: rat, Animal sex: female, 95% CL: 65.2- 88.4
LC50 inhalation - rat (vapours)	76 mg/l Source: ECHA

Skin corrosion/irritation: causes skin irritation.

<b>Titanium dioxide; [as a powder with 1% or more of particles with an aerodynamic diameter of ≤10 µm](13463-67-7)</b>	
pH	7 Source: ECHA

Serious eye damage/eye irritation: Causes eye irritation.

<b>Titanium dioxide; [as a powder with 1% or more of particles with an aerodynamic diameter of ≤10 µm](13463-67-7)</b>	
pH	7 Source: ECHA

Respiratory or skin sensitisation : Not classified (based on the available data the classification criteria are not met).  
 Mutagenic effect on germ cells: Not classified (based on available data the classification criteria are not met).  
 Carcinogenic effect: Not classified (based on available data the classification criteria are not met).

<b>Styrene (100-42-5)</b>	
IARC Group	2B - May be carcinogenic to humans

<b>Titanium dioxide; [as a powder with 1% or more of particles with an aerodynamic diameter of ≤10 µm](13463-67-7)</b>	
IARC Group	2B - May be carcinogenic to humans

Harmful effect on reproduction: Suspected of damaging the unborn child.

<b>Acetone (67-64-1)</b>	
LOAEL (animal/female, F0/P)	11298 mg/kg body weight Animal: mouse, Animal sex: female
NOAEL (animal/male, F0/P)	900 mg/kg body weight Animal: rat, Animal sex: male, Remarks on results: other: Generation not specified (migrated information)

Specific target organ toxicity – single exposure: Not classified (based on the available data the classification criteria are not met).

<b>Styrene (100-42-5)</b>	
Specific target organ toxicity – repeated exposure:	Causes damage to organs (organ of hearing) through prolonged or repeated exposure.

**Aspiration hazard:** Not classified (based on available data the classification criteria are not met).

**11.2 Information on other hazards\***

No further data available.

**SECTION 12: ECOLOGICAL INFORMATION**

**12.1. Toxicity**

Hazardous to the aquatic environment, short term (acute): Not classified (based on the available data the classification criteria are not met).  
 Hazardous to the aquatic environment, long-term (chronic): Not classified (based on the available data the classification criteria are not met).  
 It is not easily degradable.

<b>Styrene (100-42-5)</b>	
LC50 - Fish [1]	10 mg/l Source: ECHA
EC50 - Crustaceans [1]	4.7 mg/l Source: ECHA
EC50 72h - Algae [1]	4.9 mg/l Source: ECHA

<b>Titanium dioxide; [as a powder with 1% or more of particles with an aerodynamic diameter of ≤10 µm](13463-67-7)</b>	
LC50 - Fish [1]	> 100 mg/l
EC50 72h - Algae [1]	> 50 mg/l Source: ECHA

<b>Acetone (67-64-1)</b>	
LC50 - Fish [1]	6210 - 8120 mg/l Source: ECHA
LOEC (chronic)	> 79 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	≥ 79 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

**MULTISOFT FILLER**

**12.2 Persistence and degradability**

No further data available. \*

**12.3 Bioaccumulative potential**

<b>Styrene (100-42-5)</b>	
n-octanol/water partition coefficient (Log Pow):	2.95 Source: HSDB, CHemIDplus *
<b>Acetone (67-64-1)*</b>	
n-octanol/water partition coefficient (Log Pow):	-0.24 Source: ICSC *

**12.4 Mobility in soil**

No further data available. \*

**12.5 Results of PBT and vPvB assessment**

No further data available. \*

**12.6 Endocrine disrupting properties\***

No further data available. \*

**12.7 Other hazardous effects**

No further data available. \*

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1. Waste treatment methods**

Local regulations (waste):

Waste treatment methods:

Waste water disposal recommendations:

Product/packaging disposal recommendations:

Additional information:

European Waste Catalogue code:

Dispose of according to applicable regulations.

Dispose of the contents/container as directed by an authorized sorting and collection center.




Do not discharge the product into the sewage system.

Dispose of the product and packaging as hazardous waste. Do not dispose of with household waste. After cleaning, recycle or dispose of at an authorized facility.

Flammable vapours may accumulate in the container.

08 04 09\* - waste adhesives and sealants containing organic solvents or other dangerous substances; 15 01 10\* - packaging containing residues of or contaminated by dangerous substances (e.g. plant protection products of I and II toxicity class - very toxic and toxic).

**SECTION 14: TRANSPORT INFORMATION**

<b>ADR</b>	<b>IMDG</b>	<b>IATA</b>
<b>14.1 UN number or ID number</b>		
UN1866	UN1866	UN1866
<b>14.2. UN proper shipping name</b>		
RESIN, SOLUTION	RESIN SOLUTION *	RESIN SOLUTION *
Description of the shipping document:		
UN 1866 RESIN, SOLUTION, 3, III, (D/E)	UN 1866 RESIN SOLUTION, 3, III (30°C c.c.)	UN 1866 Resin solution, 3, III
<b>14.3 Transport hazard class (-es)</b>		
3	3	3
		
<b>14.4. Packaging group</b>		
III	III	III
<b>14.5. Environmental hazards</b>		
Environmentally hazardous: No	Environmentally hazardous: No Marine pollutants: No	Environmentally hazardous: No
No further data available.		

**14.6 Special precautions for users**

**Road transport:**

Classification code (ADR): F1

Limited Quantities (ADR): 5 I


Special packing provisions (ADR): PP1

Mixed Packing Regulations (ADR): MP19



**MULTISOFT FILLER**

Transport category (ADR): 3  
Special provisions for carriage – packages: V12



Orange Tiles:  
Tunnel restriction code (ADR): D/E

**Sea transport:**

Special provisions (IMDG): 223, 955  
Limited quantities (IMDG) 5 L  
Special packing provisions (IMDG): PP1  
EmS number (flames): F-E  
EmS number (Spillage): S-E  
Cargo Stowage Category (IMDG): A

**Air transport:**

No data.

**14.7. Sea transport in bulk in accordance with IMO instruments**

N/A

**SECTION 15: REGULATORY INFORMATION**

**15.1. Safety, health and environmental regulations / legislations specific for the substance or mixture**

15.1.1. EU Provisions\*

Annex XVII to the REACH Regulation (restriction conditions): It does not contain substances listed in Annex XVII to the REACH Regulation (restriction conditions).

Annex XIV to the REACH Regulation (List of Authorizations): It does not contain substances listed in Annex XIV to the REACH Regulation (List of Authorizations).

REACH Candidate List (SVHC): Contains no substances listed on the REACH Candidate List.

PIC Regulation (EU 649/2012, Prior Informed Consent): It does not contain substances listed on the PIC list (EU Regulation 649/2012 on the export and import of dangerous chemicals).

POP Regulation (EU 2019/1021, Persistent Organic Pollutants): It does not contain substances listed on the POP list (EU Regulation 2019/1021 on persistent organic pollutants).

Ozone Depletion Regulation (EU 1005/2009): Contains no substances listed in the ozone depleting list (EU Regulation 1005/2009 on substances that deplete the ozone layer).

Explosives Precursors Regulation (EU 2019/1148): It contains substances contained on the list of explosives precursors (EU Regulation 2019/1148 on the marketing and use of explosives precursors).

Annex II EXPLOSIVE PRECURSORS SUBJECT TO NOTIFICATION: List of substances, on their own or in mixtures or substances, for which suspicious transactions and significant disappearances and thefts are to be reported within 24 hours.

Name	CAS number:	Combined Nomenclature (CN) code	Code in the Combined Nomenclature of the mixture without components that would determine the classification under another CN code
Acetone	67-64-1	2914 11 00	Ex 3824 99 92

See [https://ec.europa.eu/home-affairs/system/files/2021-11/list\\_of\\_competent\\_authorities\\_and\\_national\\_contact\\_points\\_en.pdf](https://ec.europa.eu/home-affairs/system/files/2021-11/list_of_competent_authorities_and_national_contact_points_en.pdf)

Drug Precursors Regulation (EC 273/2004): It contains substance(s) listed on the list of drug precursors (Regulation EC 273/2004 on the manufacture and marketing of certain substances used for the illicit manufacture of narcotic drugs and psychotropic substances).

Name	CN marking	CAS number:	CN code:	Category	Limit	Annex
Acetone		67-64-1	2914 11 00	Category 3		Annex I

15.1.2. Other regulations:\*

Other regulations:

- Material Safety Data Sheet EU format according to Commission Regulation (EU) 2020/878.
- Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC
- Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
- ADR Agreement: Government Statement of February 18, 2021 on the entry into force of amendments to Annexes A and B of the European Agreement on the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957. (Journal of Laws of 2019, , item 874).

**15.2 Chemical safety assessment**

Not performed.

**SECTION 16: OTHER INFORMATION**

Changes:

Material Safety Data Sheet EU format according to Commission Regulation (EU) 2020/878.



## MULTISOFT FILLER

**Explanation of abbreviations and acronyms:**

ADN	European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways. *
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road. *
ATE	Estimated acute toxicity*
BCF	BCF bioconcentration factor*
BLV	Quantitative limit value*
BOD	Biochemical Oxygen Demand (BOD)*
COD	Chemical oxygen demand (COD)*
DMEL	Derived level causing minimal changes*
DNEL	Derived no effect level*
EC no	a number ascribed to a chemical substance in the European List of Existing Chemical Substances (EINECS), or a number in the European Inventory of Notified Chemical Substances, mentioned in "No-longer polymers" publication (EINECS) or a number on the list of chemicals listed in 'No-longer polymers'.
EC50	Medium effective concentration*
EN	European standard*
IARC	International Agency for Research on Cancer*
IATA	International Air Transport Association*
IMDG	International Maritime Code for Dangerous Goods*
LC50	The concentration of the substance causing the death of 50% of the population of test organisms*
LD50	The Dose causing the death of 50% of the population of test organisms*
LOAEL	The lowest level at which harmful changes are observed*
NOAEC	Concentration at which no adverse effects are observed*
NOAEL	Dose level at which no adverse effects are observed*
NOEC	Maximum Concentration at which no adverse effects are observed*
OECD	Organization for Economic Cooperation and Development*
OEL	Occupational exposure limit value*
PBT	substance, which is Persistent, Bio-accumulative and toxic*
PNEC	Predicted no-effect concentration*
RID	Regulations Concerning the International Transport of Dangerous Goods by Rail.
SDS	Material Safety Data Sheet
STP	sewage treatment plant*
ThOD	Theoretical Oxygen Demand (ThOD)*
TLM	Middle tolerance limit*
LZO	Volatile Organic Compounds*
N.O.S.	Not otherwise specified*
vPvB	very Persistent and very Bio-accumulative*
ED	Endocrine disrupting properties*
CAS no	numerical symbol ascribed to a chemical substance by the American organization Chemical Abstracts Service (CAS).
MPC	maximum permissible concentration of health hazardous substances in the work place
MPIC	Maximum Permissible Instantaneous Concentration.
NDSP	Maximum Permissible Ceiling Concentration.
PBC	Permissible concentration in biological material
UN number	four-digit identification number of a substance, preparation or product pursuant to UN model regulations

**Full text of H and EUH phrases:**

Acute Tox. 4 (Inhalation)	Acute toxicity (after inhalation), category 4. *
Carc. 2	Carcinogenicity, category 2. *
EUH211	Warning! Hazardous respirable droplets may form if sprayed. Do not breathe spray or vapour. *
Eye Irrit. 2	Serious eye damage/eye irritation, category 2. *
Flam. Liq. 2	Flammable liquid, category 2. *
Flam. Liq. 3	Flammable liquid, category 3.
H225	Highly flammable liquid and vapour. *
H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness. *
H351	Suspected of causing cancer. *
H361d	Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure. *
Repr. 2	Reproduction toxicity, Category 2. *
Skin Irrit. 2	Skin corrosion/irritation, Category 2. *
STOT RE 1	Specific target organ toxicity - repeated exposure, category 1.
STOT SE 3	Specific target organ toxicity - single exposure, category 3. *

Classification and procedure used to determine the classification of mixtures according to the Regulation (EC) 1272/2008[CLP]\*:

Flam. Liq. 3 H226	Based on research results
Skin Irrit. 2	H315 Calculation method
Eye Irrit. 2	H319 Calculation method
Repr. 2	H361d Expert assessment
STOT RE 1	H372 Calculation method

**Other data sources:**

**ECHA** European Chemicals Agency

**TOXNET** Toxicology Data Network

Tips for training.: Use in accordance with health and safety rules and safety procedures.

**MULTISOFT FILLER**

---

The information provided is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. Therefore, they should not be understood as a guarantee of any specific product properties. \*

**Changes compared to the previous sheet:**

**Changes in the Sheet:**

Update of sections:

1: added subsections 1.2.1., 1.2.2.

1: added subsections 6.1.1., 6.1.2.

8: added subsections 8.1.1., 8.1.2., 8.1.3., 8.1.4., 8.1.5., 8.2.1., 8.2.2. and other subsections ), 8.2.3.

9: added subsections 9.2.1., 9.2.2.

11: rewording of sub-section 11.1: Information on the hazard classes defined in Regulation (EC) No 1272/2008

12: new subsection 12.6: Endocrine disrupting properties.

14: rewording of sub-section 14.7: Sea transport in bulk in accordance with IMO instruments.

15: added subsections 15.1.1, 15.1.2.

Changes in the content of sections (marked with the symbol: \*):

1.1, 1.2, 2.1, 2.2, 2.3, 3.2, 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 6.2, 6.3, 7.1, 7.2, 7.3, 8.1, 8.2, 9.1, 9.2, 10.3, 10.4, 10.6, 11.1, 11.2, 12.1, 12.2, 12.3, 12.4, 12.5, 12.6, 12.7, 13.1, 14.1, 14.2, 14.6, 14.7, 15.1, 16.

General update.

**Sheet number:** 00-0P1L-0223-V4