

**TECHNICAL DATA SHEET****BLACK COAT GLOSS  
SPRAY**

Quick drying acrylic coat of covering properties and good adhesion to metal, plastic, glass and wood. It is resistant to weather conditions, chemical substances, petrol and UV radiation. This product is characterized by very high covering efficiency, ideal adhesion and very good hardness of the surface. It is resistant to scratches.

**FOR PROFESSIONAL USE!**

**IT CAN BE USED ON THE FOLLOWING GROUND TYPES**

---

- ◆ Steel
- ◆ Aluminium
- ◆ Wood
- ◆ Acrylic primers
- ◆ Metal
- ◆ Plastics

**Attention!** In case of plastic surfaces of poor adhesion use Adhesion increasing agent RANAL.

**PRODUCT CHARACTERISTICS**

---

- ◆ Very thorough covering of the painted surface.
- ◆ High resistance to abrasion and weather conditions.
- ◆ Possible use inside as well as outside.
- ◆ Odourless gases used.

**COLOUR**

---

- ◆ Black gloss.
- ◆ Black mat.

**INSTRUCTION FOR USE**

---

- ◆ Sand the surface with P600 paper before use.
- ◆ Clean, dry and degrease the surface before application.
- ◆ Shake the container before use.
- ◆ Apply 2-3 single coats from the distance of about 30 cm.
- ◆ Make 5-10 min. pauses between the applications of the coats.
- ◆ Clean the nozzle after use, by putting the container upside down and pressing it for 5 seconds.

**ATTENTION!** It is best to paint in a dry room in the temperature of 20°C.

## TECHNICAL DATA SHEET

### DRYING TIME

---

Dust free: 15 min.

Touch dry: 30 ÷ 40 min.

Completely dry: 24 h

### THEORETICAL EFFICIENCY

---

400 ml of the coat is enough to cover app. 2,0 - 2,5 m<sup>2</sup> of the surface.

### CONTENT OF VOLATILE ORGANIC COMPOUNDS

---

II/B/e limit = 840 g/l, VOC = 630 g/l

### STORAGE CONDITIONS

---

Store in a dark and dry place away from the sources of fire and heat. The shelf life in original package at the temperature of 20°C is 24 months.

### HEALTH AND SAFETY RECOMMENDATIONS

---

According to Material Safety Data Sheet of Dangerous Substance for particular product.

### PACKAGING

---

Art. No	Capacity, ml	Package, pieces:	Package weight, kg:
30507 [gloss]	400	12	5,20

This information is based on careful laboratory research and many years of experience. Strong market position does not absolve us from constant control of the quality of our products. However, we are not responsible for the final results after incorrect use of the product.