

**POLYESTER FILLER MICRO GLASS**

**SECTION 1: SUBSTANCE/MIXTURE IDENTIFICATION AND MANUFACTURER/SUPPLIER IDENTIFICATION**

**1.1. Product identification**

Product form: Mixtures  
Name: Polyester filler  
Trade name: POLYESTER FILLER MICRO GLASS  
UFI Code: 9CR0-M0PU-C00Y-R282

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

1.2.1. Relevant identified uses\*:  
For professional use in car refinishing.

1.2.2 Uses advised against\*:  
No further data available.

**1.3 Data of the safety data sheet supplier**

**Przedsiębiorstwo RANAL Sp. z o.o.**  
Ul. Łódzka 3  
42-240 Rudniki k. Częstochowy, PL

Tel.: +48 34 329 45 03  
Fax: +48 34 320 12 16  
Registration number 000029202

Person responsible for the safety data sheet: ranal@ranal.pl

**1.4. Emergency telephone**  
+48 34 329 45 03 (8.00 - 15.00)

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture\***

Classification according to the regulation (EC) no 1272/2008 [CLP]:  
Flammable liquids, cat. 3 H226  
Skin corrosion/irritation, cat. 2 H315  
Serious eye damage/eye irritation, hazard cat 2 H319  
Reproduction toxicity, cat. 2 H361d  
Specific target organ toxicity - repeated exposure, cat. 1 H372

Full text of H and EUH phrases: see section 16.

Adverse effects related to physicochemical properties, effects on human health and the environment:  
No further data available.

**2.2. Label elements**

Labelling according to the regulation (EC) no 1272/2008[CLP].\*

Contains:  
Styrene.

Pictograms:



GHS02 GHS07 GHS08 \*  
Signal word: **DANGER**

Risk index:

H226 Flammable liquid and vapour.  
H315 Causes skin irritation.  
H319 Causes eye irritation.  
H361d Suspected of damaging the unborn child.  
H372 Causes damage to organs through prolonged or repeated exposure.

Safety index:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P260 Do not breathe dust/ vapours. \*  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P312 Call a POISON CENTER or doctor/physician if you feel unwell.

**2.3. Other hazards**

Vapours of styrene form explosive mixtures with air. Vapours are heavier than air and accumulate near the ground and in the lower parts of rooms. Styrene may polymerize under the influence of high temperature or as a result of contact with strong oxidizing agents, peroxides, strong acids, alkalis, metal salts, copper and its alloys. Styrene polymerization is a highly exothermic process.  
Does not contain PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with Annex XIII of REACH. \*

**POLYESTER FILLER MICRO GLASS**

The mixture does not contain any substance(s) included in the list established in accordance with Art. 59 sec. 1 of the REACH Regulation due to endocrine disrupting properties or is not identified as endocrine disrupting in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in a concentration equal to or greater than 0,1 % by weight. \*

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1. Substances**

Not applicable.

**3.2. Mixtures**

Name	Product identification	%	Classification according to the regulation (EC) no 1272/2008[CLP]
Styrene the substance has an occupational exposure limit(s) (PL) (Note D)	CAS number: 100-42-5 EC number: 202-851-5 Index number: 601-026-00-0 REACH: 01-2119457861-32	12.5 – 17 *	Flam. Liq. 3, H226, Acute Tox. 4 (Inhalation), H332, Skin Irrit. 2, H315, Eye Irrit. 2, H319, Repr. 2, H361d, STOT RE 1, H372

Note D: Certain substances that are prone to spontaneous polymerization or decomposition are generally placed on the market in a stabilized form. This is the form in which they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state the name of the substance on the label, followed by the word 'unstabilised'.

Full text of hazard statements provided in section 16 of the Sheet.

**SECTION 4: FIRST AID MEASURES**

**4.1. Description of first aid measures**

General information: See section 11 of the Material Safety Data Sheet.

Airways:

If difficulties in breathing occur, remove the victim to fresh air and keep at rest in a position comfortable for breathing. \*

Skin:

In case of skin contamination, immediately remove all contaminated clothing and wash contaminated skin with plenty of soap and water. Rinse skin with water/or shower. If skin irritation or rash occurs: Get medical advice/attention. If skin irritation persists, consult a doctor.\*

Eyes:

Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a doctor. In the case of contact with eyes, immediately rinse with plenty of water and get medical advice. \*

Alimentary tract:

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a doctor. \*

**4.2 Most important symptoms both acute and delayed\***

Symptoms/effects in the event of inhalation: Vapours may cause drowsiness and dizziness.

Symptoms/effects in the event of skin contact: Prolonged or repeated contact may cause skin dryness.

Symptoms/effects in the event of contact with eyes: May cause eye irritation.

**4.3 Indications of any immediate medical attention and special treatment needed**

Symptomatic treatment. \*

**SECTION 5: FIREFIGHTING MEASURES**

**5.1. Extinguishing media**

Suitable extinguishing agents: Extinguishing powder, foam resistant to alcohol, carbon dioxide, water mist.

Unsuitable extinguishing media: do not use a strong stream of water. \*

**5.2 Special hazards arising from the substance or mixture**

Hazardous decomposition products in the event of fire: Carbon monoxide. Other toxic gases. \*

**5.3 Advice for fire fighters**

Protection during firefighting: Do not intervene without appropriate protective equipment. Self-contained, breathing apparatus. Compete protective clothing. \*

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions, protective equipment and emergency measures**

6.1.1. For personnel non taking part in emergency procedures\*:

Eliminate ignition sources. Provide sufficient ventilation of the room. Avoid direct contact with the released substance. Avoid contact with skin and eyes. Personal protection measures – see section 8 of the Sheet.

**POLYESTER FILLER MICRO GLASS**

6.1.2. For personnel taking part in emergency procedures\*:

Protective equipment: Do not intervene without appropriate protective equipment. See section 8.

**6.2. Environmental precautions**

Avoid release to the environment. Prevent from entering surface water and sewage system. Do not allow the product to enter groundwater, water reservoirs or sewage systems, even in small quantities. \*

**6.3 Methods and materials for containment and cleaning up**

Preventing the spread of contamination: Cover the spilled product with a non-combustible material such as sand, earth, vermiculite. Collect the product mechanically. \*

**6.4 Reference to other sections**

Personal protection measures – see section 8 of the Sheet. Disposal considerations – see section 13 of the Sheet.

**SECTION 7: HANDLING AND STORAGE OF SUBSTANCES AND MIXTURES**

**7.1. Precautions for safe handling**

Precautions for safe handling: Provide good ventilation of the workplace. Keep away from heat sources, hot surfaces, sources of sparks, open flames and other ignition sources. No smoking. Use only outdoors or in a well-ventilated area. Wear personal protection measures. \*

Hygiene recommendations: Wash contaminated clothes before using them again. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink and smoke when using the product. Wash hands after each contact with the product. \*

**7.2 Conditions for safe storage, including any incompatibilities**

Technical measures: Ground/bond container and receiving equipment.

Storage conditions: Store in a well-ventilated place. Keep cool. Keep container tightly closed. \*

**7.3 Special end use (s)**

No further data available. \*

**SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION MEASURES**

**8.1. Control parameters**

8.1.1. National values of the highest permissible concentrations in the work environment and biological limit values\*

<b>Styrene (100-42-5)</b>	
<b>Poland- The highest permissible concentration at the workplace</b>	
Local name	Styrene
NDS (OEL TWA)	50 mg/m <sup>3</sup>
NDSch (OEL STEL)	100 mg/m <sup>3</sup>
Regulatory reference	Official Journal 2018, item 1286

8.1.2. Recommended monitoring procedures\*

Monitoring method: EN 482. Exposure at workplaces– general requirements for the characteristics of chemical agents measurement procedures.

8.1.3. Air pollutants are formed\*

No further data available.

8.1.4. DNEL and PNEC\*

<b>Styrene (100-42-5)</b>	
<b>DNEL/DMEL (Workers)</b>	
Acute - systemic effects after inhalation	100 mg/m <sup>3</sup>
Acute - local effects after inhalation	100 mg/m <sup>3</sup>
Long - term systemic effects after inhalation	100 mg/m <sup>3</sup>
Long - term local effects after inhalation	100 mg/m <sup>3</sup>
<b>DNEL/ DMEL (General population)</b>	
Acute - systemic effects after inhalation	10 mg/m <sup>3</sup>
Acute - local effects after inhalation	10 mg/m <sup>3</sup>
Long - term systemic effects after ingestion	7.7 µg/kg body weight /day
Long - term systemic effects after inhalation	1 mg/m <sup>3</sup>
Long - term local effects after inhalation	1 mg/m <sup>3</sup>
<b>PNEC (Water)</b>	
PNEC (freshwater)	0.04 mg/l
PNEC (sea water)	0.04 mg/l
<b>PNEC (Sediments)</b>	
PNEC sediments (freshwater)	0.418 mg/kg of dry mass
PNEC sediments (sea water)	0.418 mg/kg of dry mass
<b>PNEC (Soil)</b>	
PNEC Soil	0.146 mg/kg of dry mass

8.1.5. Risk management\*

No further data available.

**8.2. Exposure control**

8.2.1. Technical control measures\*

Provide good ventilation of the workplace.

**POLYESTER FILLER MICRO GLASS**

**8.2.2. Personal protective equipment**

Symbols of personal protective equipment\*:



**8.2.2.1. Eye or face protection\*:**

Eyes protection: Safety glasses

**8.2.2.2. Skin protection\*:**

Skin and body protection: Wear suitable protective clothes. \*

Hands protection:

<b>Hand protection</b>					
Type	Material	Breakthrough time	Thickness (mm)	Penetration	Standards
Disposable gloves	Viton® II	6 (> 480 minutes)	0.7 mm		EN 374-3
Disposable gloves	Nitrile rubber ( NBR)	2 (> 30 minutes)	0.4 mm		EN 374-3

**8.2.2.3. Respiratory protection\*:**

Respiratory protection: In case of insufficient ventilation wear suitable breathing apparatus.

<b>Respiratory protection*:</b>			
Equipment	Filter type	Condition	Standard
Gas mask with filter type	Filter A1/B1		EN 14387

**8.2.2.4. Thermal hazards\*:**

No further data available.

**8.2.3. Environmental control\*:**

Avoid release to the environment.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1. Information on basic physical and chemical properties**

Physical state	* liquid*
Colour	beige*
Odour	characteristic, sweet*
Odour threshold	0.43 mg/m <sup>3</sup> styrene; vinylbenzene*
Melting point	not applicable*
Freezing point	not available*
Boiling point	146°C
Flammability (solid, gas)	not applicable
Explosive properties	no data*
Explosion limits:	not available*
Bottom explosion limit	1.1 vol % styrene, vinylbenzene*
Top explosion limit	8.0 vol % styrene, vinylbenzene*
Flash point	30°C
Auto ignition point	490°C
Breakdown point	not available*
pH	not available*
Kinematic viscosity	not available
Solubility (in water)	very poor
n-octanol/water partition coefficient:	not available*
Vapour pressure	app. 7.3 hPa (20°C) styrene, vinylbenzene*
Vapour pressure at 50 °C	not available*
Density	≈ 1.7 g/cm <sup>3</sup> *
Relative density*	not available*
Relative vapour density at 20°C	not available*
Relative density of saturated vapour/air mixture	3.6 styrene, vinylbenzene*
Particle characteristics*	not applicable*

**9.2 Other information**

**9.2.1. Information with regard to physical hazard classes\***

No further data available.

**9.2.2. Other safety features\***

No further data available.

**SECTION 10: STABILITY AND REACTIVITY**

**10.1. Reactivity**

The product is not reactive under normal conditions.

**POLYESTER FILLER MICRO GLASS****10.2. Chemical stability**

The product is stable under normal conditions.

**10.3. Possibility of hazardous reactions**

May cause strong reactions with alkaline products as well as organic products, such as alcohols and amines. Hazardous polymerization may occur when exposed to high temperatures. \*

**10.4 Conditions to be avoided**

Protect against ignition sources. Avoid the accumulation of electrostatic charges (e.g. by grounding). Protect from sunlight. Avoid high temperatures. \*

**10.5 Incompatible materials**

Avoid contact with large amounts of organic peroxides, strong acids and bases, as well as other strong oxidants.

**10.6. Hazardous decomposition products**

No hazardous product shall be formed under normal conditions of storage and use. Thermal decomposition may produce: Carbon monoxide. Other toxic gases. \*

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1. Information on the hazard classes defined in Regulation (EC) No 1272/2008\***

Acute toxicity (oral): Not classified (based on available data the classification criteria are not met).

Acute toxicity (skin): Not classified (based on available data the classification criteria are not met).

Acute toxicity (inhalation): Not classified (based on available data the classification criteria are not met).

**Styrene (100-42-5)**

LD50 oral, rat	5000 mg/kg Source: ECHA
LD50, skin, rat	> 2000 mg/kg Source: ECHA
LC50 inhalation - rat (vapours)	11.8 mg/l Source: ECHA

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Irritating to eyes.

Allergic effect on airways or skin: Not classified (based on available data the classification criteria are not met).

Mutagenic effect on germ cells: Not classified (based on available data the classification criteria are not met).

Carcinogenic effect: Not classified (based on available data the classification criteria are not met).

**Styrene (100-42-5)**

IARC Group	2B - May be carcinogenic to humans
------------	------------------------------------

Harmful effect on reproduction: Suspected of damaging the unborn child.

Specific target organ toxicity – single exposure: Not classified (based on available data the classification criteria are not met).

Specific target organ toxicity – repeated exposure: Causes damage to organs (organ of hearing) through prolonged or repeated exposure.

**Styrene (100-42-5)**

Specific target organ toxicity – repeated exposure:	Causes damage to organs (organ of hearing) through prolonged or repeated exposure.
---	--

Aspiration hazard: Not classified (based on available data the classification criteria are not met).

**11.2. Information on other hazards\***

No further data available.

**SECTION 12: ECOLOGICAL INFORMATION****12.1. Toxicity\***

Hazardous for the aquatic environment, short-time (acute): Not classified (based on available data the classification criteria are not met).

Hazardous to the aquatic environment, long-term (chronic): Not classified (based on available data the classification criteria are not met).

It is not easily degradable.

**Styrene (100-42-5)**

LC50 - Fish [1]	10 mg/l Source: ECHA
EC50 - Crustaceans [1]	4.7 mg/l Source: ECHA
EC50 72h - Algae [1]	4.9 mg/l Source: ECHA

**12.2. Persistence and degradability**

No further data available. \*

**12.3. Bioaccumulative potential****Styrene (100-42-5)**

n-octanol/water partition coefficient (Log Pow):	2.95 Source: HSDB, ChemIDplus
--	-------------------------------

**12.4. Mobility in soil**

No further data available. \*

POLYESTER FILLER MICRO GLASS

12.5. Results of PBT and vPvB assessment

No data.

12.6. Endocrine disrupting properties\*

No further data available.

12.7. Other hazardous effects\*

No further data available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Local regulations (waste): Dispose of according to applicable regulations.

Waste treatment methods: Dispose of the contents/container as directed by an authorized sorting and collection centre.

Waste water disposal recommendations: Do not discharge the product into the sewage system.

Product/packaging disposal recommendations: Dispose of the product and packaging as hazardous waste. Do not dispose of with household waste. After cleaning, recycle or dispose of at an authorized facility.

Additional information: Flammable vapours may accumulate in the container. \*




European Waste Catalogue code:

08 04 09\* - waste adhesives and sealants containing organic solvents or other dangerous substances

15 01 10\* - packaging containing residues of or contaminated by dangerous substances (e.g. plant protection products of I and II toxicity class - very toxic and toxic)

SECTION 14: TRANSPORT INFORMATION

According to ADR/ IMDG/ IATA:

ADR	IMDG	IATA
14.1. UN number or ID number		
UN1866	UN1866	UN1866
14.2. UN proper shipping name		
RESIN, SOLUTION*	RESIN SOLUTION *	RESIN SOLUTION *
Description of the shipping document		
UN 1866 RESIN, SOLUTION, 3, III, (D/E)	UN 1866 RESIN SOLUTION, 3, III (30°C c.c.)	UN 1866 RESIN SOLUTION, 3, III
14.3. Transport hazard class (-es)		
3	3	3
		
14.4. Packaging group		
III	III	III
14.5. Environmental hazards		
Environmentally hazardous: No	Environmentally hazardous: No Marine pollutants: No	Environmentally hazardous: No
No further data available.		

14.6 Special precautions for users\*

Road transport

Classification code (ADR):  
Limited Quantities (ADR):  
Special packing provisions (ADR):  
Mixed Packing Regulations (ADR):  
Transport category (ADR):  
Special provisions for carriage – Packages:

F1  
5 L  
PP1  
MP19  
3  
V12



Orange Tiles:  
Tunnel restriction code (ADR):

D/E

**POLYESTER FILLER MICRO GLASS****Sea transport**

Special provisions (IMDG):	223, 955
Limited Quantities (IMDG):	5 L
Special packing provisions (IMDG):	PP1
EmS number (Fire):	F-E
EmS number (Spillage):	S-E
Cargo Stowage Category (IMDG):	A

**Air transport**

No data.

**14.7. Sea transport in bulk in accordance with IMO instruments\***

N/A

**SECTION 15: REGULATORY INFORMATION****15.1. Safety, health and environmental regulations / legislations specific for the substance or mixture**

## 15.1.1. EU Provisions\*

Annex XVII to the REACH Regulation (restriction conditions): It does not contain substances listed in Annex XVII to the REACH Regulation (restriction conditions).

Annex XIV to the REACH Regulation (List of Authorizations): It does not contain substances listed in Annex XIV to the REACH Regulation (List of Authorizations).

REACH Candidate List (SVHC): Contains no substances listed on the REACH Candidate List.

PIC Regulation (EU 649/2012, Prior Informed Consent): It does not contain substances listed on the PIC list (EU Regulation 649/2012 on the export and import of dangerous chemicals).

POP Regulation (EU 2019/1021, Persistent Organic Pollutants): It does not contain substances listed on the POP list (EU Regulation 2019/1021 on persistent organic pollutants).

Ozone Depletion Regulation (EU 1005/2009): Contains no substances listed in the ozone depleting list (EU Regulation 1005/2009 on substances that deplete the ozone layer).

Explosives Precursors Regulation (EU 2019/1148): It contains substances contained on the list of explosives precursors (EU Regulation 2019/1148 on the marketing and use of explosives precursors).

Drug Precursors Regulation (EC 273/2004): It does not contain any substance(s) listed on the list of drug precursors (Regulation EC 273/2004 on the manufacture and marketing of certain substances used for the illicit manufacture of narcotic drugs and psychotropic substances).

## 15.1.2. Other regulations:\*

Poland:

- Material Safety Data Sheet EU format according to Commission Regulation (EU) 2020/878.
- Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC
- Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
- ADR Agreement: Government Statement of February 18, 2021 on the entry into force of amendments to Annexes A and B of the European Agreement on the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957. (Journal of Laws of 2019, , item 874).

**15.2. Chemical safety assessment**

Not performed.

**SECTION 16: OTHER INFORMATION**

Changes:

Material Safety Data Sheet EU format according to Commission Regulation (EU) 2020/878.

Explanation of abbreviations and acronyms:

ADN	European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways. *
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road. *
ATE	Estimated acute toxicity*
BCF	BCF bioconcentration factor*
BLV	Quantitative limit value*
BOD	Biochemical Oxygen Demand (BOD)*
COD	Chemical oxygen demand (COD)*
DMEL	Derived level causing minimal changes*
DNEL	Derived no effect level*
EC no	a number ascribed to a chemical substance in the European List of Existing Chemical Substances (EINECS), or a number in the European Inventory of Notified Chemical Substances, mentioned in "No-longer polymers" publication (EINECS) or a number on the list of chemicals listed in 'No-longer polymers'.
EC50	Medium effective concentration*
EN	European standard*
IARC	International Agency for Research on Cancer*
IATA	International Air Transport Association*

## POLYESTER FILLER MICRO GLASS

IMDG	International Maritime Code for Dangerous Goods*
LC50	The concentration of the substance causing the death of 50% of the population of test organisms*
LD50	The Dose causing the death of 50% of the population of test organisms*
LOAEL	The lowest level at which harmful changes are observed*
NOAEC	Concentration at which no adverse effects are observed*
NOAEL	Dose level at which no adverse effects are observed*
NOEC	Maximum Concentration at which no adverse effects are observed*
OECD	Organization for Economic Cooperation and Development*
OEL	Occupational exposure limit value*
PBT	substance, which is Persistent, Bio-accumulative and toxic*
PNEC	Predicted no-effect concentration*
RID	Regulations Concerning the International Transport of Dangerous Goods by Rail.
SDS	Material Safety Data Sheet
STP	sewage treatment plant*
ThOD	Theoretical Oxygen Demand (ThOD)*
TLM	Middle tolerance limit*
LZO	Volatile Organic Compounds*
N.O.S.	Not otherwise specified*
vPvB	very Persistent and very Bio-accumulative*
ED	Endocrine disrupting properties*
CAS no	numerical symbol ascribed to a chemical substance by the American organization Chemical Abstracts Service (CAS).
MPC	maximum permissible concentration of health hazardous substances in the work place
MPIC	Maximum Permissible Instantaneous Concentration.
NDSP	Maximum Permissible Ceiling Concentration.
PBC	Permissible concentration in biological material
UN number	four-digit identification number of a substance, preparation or product pursuant to UN model regulations
Data sources:	ECHA (European Chemicals Agency).
Directions for training:	Use in accordance with health and safety rules and safety procedures.

Full text of hazard statements mentioned in section 2 - 15 of the Sheet:

Acute Tox.	Acute toxicity (after inhalation), category 4 4
Eye Irrit. 2	Serious eye damage/eye irritation, hazard cat 2
Flam. Liq. 3	Flammable liquids, cat. 3.
H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes eye irritation.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H372	May cause damage to organs through prolonged or repeated exposure.
Repr. 2	Reproduction toxicity, hazard category 2.
Skin Irrit. 2	Skin corrosion/irritation, cat. 2.
STOT RE 1	Specific target organ toxicity – repeated exposure, cat. 1.

Classification and procedure used to determine the classification of mixtures according to the Regulation (EC) 1272/2008[CLP]\*:

Flam. Liq. 3	H226	Based on research results
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Repr. 2	H361d	Expert assessment
STOT RE 1	H372	Calculation method

The information provided is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. Therefore, they should not be understood as a guarantee of any specific product properties. \*

Changes compared to the previous sheet:

Update of sections:

1: added subsections 1.2.1., 1.2.2.

1: added subsections 6.1.1., 6.1.2.

8: added subsections 8.1.1., 8.1.2., 8.1.3., 8.1.4., 8.1.5., 8.2.1., 8.2.2. (and other subsections ), 8.2.3.

9: added subsections 9.2.1., 9.2.2.

11: rewording of sub-section 11.1: Information on the hazard classes defined in Regulation (EC) No 1272/2008

12: new subsection 12.6: Endocrine disrupting properties.

14: rewording of sub-section 14.7: Sea transport in bulk in accordance with IMO instruments.

15: added subsections 15.1.1, 15.1.2.

Changes in the content of sections (marked with the symbol: \*):

1.1, 1.2, 2.1, 2.2, 2.3, 3.2, 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 6.2, 6.3, 7.1, 7.2, 7.3, 8.1, 8.2, 9.1, 9.2, 10.3, 10.4, 10.5, 10.6, 11.1, 11.2, 12.1, 12.2, 12.3, 12.4, 12.5, 12.6, 12.7, 13.1, 14.2, 14.6, 14.7, 15.1, 16.

General update.

Sheet number: 00-0P1L-0223-V6